1S480.SVL : Logger results



	Start	Duration	LAeq (TH) [dB]	LCeq (TH) [dB]
Info	-	-	P1 (A, Lin)	P2 (C, Lin)
Main cursor	27-11-2022 02:05:26.000	-	86.2	102.4
Inside blocks	27-11-2022 02:03:45.000	00:01:41.000	94.1	107.0
Outside blocks	27-11-2022 02:02:46.000	00:00:59.000	87.9	99.8
Events	27-11-2022 02:02:46.000	00:02:40.000	-	-

Zuivere meetdata betreft inside blocks : 94,1 db

Hoor tijdens stuk inside blocks alleen muziek geluid.

Bij eerste stuk hoor ik jullie in gesprek met denk beveiliging

1S480.SVL : Header information	
Device type	SVAN 971
Serial No.	84012
Internal software version	1.14.1
Filesystem version	1,14
Original file name	1S480
Measurement time	02:02:46
Measurement date [d-M-yyyy]	27-11-2022
Device function	1/3 Octave
Leq/RMS integration	Linear
Start delay	0.0s
Integration period	Infinity
Start synchronization	Off
Pre Calibration type	By measurement
Pre Calibration date	26-11-2022
Pre Calibration time	23:02:56
Post Calibration type	By measurement
Post Calibration date	27-11-2022
Post Calibration time	02:46:26
Channel input	Mic.
Measurement range	Low
Mic. field correction	Free
Mic. outdoor filter	Off
Windscreen	On
Pre Calibration factor	1.6 dB
Pre Calibration level	94.0 dB
Post Calibration factor	1.7 dB
Post Calibration level	94.0 dB
Calibration drift	-0.0 dB

Kalibratie informatie

1S479.SVL : Logger results



	Start	Duration	LAeq (TH) [dB]	LCeq (TH) [dB]
Info	-	-	P1 (A, Lin)	P2 (C, Lin)
Main cursor	27-11-2022 01:54:23.600	-	100.2	105.5
Inside blocks	27-11-2022 01:53:44.900	00:00:38.700	95.6	104.2
Outside blocks	27-11-2022 01:52:34.000	00:01:20.300	84.3	92.4
Events	27-11-2022 01:52:34.000	00:01:59.000	-	-

Weet niet of deze data ook van het kanaal is. Tijdstip van deze is 1:53 uur en bovenste 2:03.

Zuivere data betreft inside blocks: 95,6 dB. Je hoort op de achtergrond wel wat meegezing.

Eerste stuk hoor ik je met hanno overleggen en binnenkomen.