**From:** "5.1.2,e" <5.1.2,e@gmail.com>
**Sent:** Tue, 31 Jan 2023 13:28:33 +0200
**To:** "5.1.2,e" <5.1.2,e@amsterdam.nl>; "Project Koninginneweg" <5.1.2,i@amsterdam.nl>
**Cc:** "5.1.2,e" <5.1.2,e@amsterdam.nl>; "5.1.2,e" <5.1.2,e@amsterdam.nl>
**Subject:** Re: Tussenbericht waterschade Koninginneweg

Dears,
It's almost a month and we didn't receive any feedback on the below. Appreciate a prompt feedback.

I understand it's not an easy ask, but I think we deserve an answer or an update.

we're experiencing a lot of issues and if we wait longer the situation is getting only worst.

Regards,
5.1.2,e

> On 4 Jan 2023, at 18:28, 5.1.2,e <5.1.2,e@gmail.com> wrote:
>
> Good evening, and happy new year!
>
> Despite removing the water from the basement with the pump, the water level is increasing again.
>
> I heard our neighbors are experiencing the same issue.
>
> Urgently need your support to find a solution.
> We are experiencing lot of damages, terrible smell and we are also having mice in the house and rats in our garden.
>
> Thanks for your understanding
>
> 5.1.2,e
> 5.1.2,e
>
> > On 27 Dec 2022, at 12:47, 5.1.2,e <5.1.2,e@amsterdam.nl> wrote:
> >
> > Geachte bewoner,
> > Bijgevoegd een tussenbericht mbt de waterschade in de Koninginneweg. Deze is brief is alleen gestuurd naar en bedoeld voor de bewoners die overlast van water hebben gemeld.
> >
> > Met vriendelijke groet,
> > Namens 5.1.2,e
> >
> > 5.1.2,e
> > 5.1.2,e
> > 5.1.2,e
> > 5.1.2,e@amsterdam.nl

De gemeente Amsterdam streeft naar optimale dienstverlening en zorgvuldige afhandeling van e-mailverkeer. Als deze e-mail niet voor u is bestemd, laat dit dan weten aan de afzender en verwijder de e-mail. Voor meer informatie: www.amsterdam.nl/proclaimer.

<Bewonersbrief waterschade Koninginneweg.docx>