From: "5.1,2,e" <5.1,2,e@gmail.com>
Sent: Fri, 18 Nov 2022 12:27:51 +0200
To: "Project Koninginneweg" <5.1,2,i@amsterdam.nl>
Cc: "5.1,2,e@gmail.com" <5.1,2,e@gmail.com>
Subject: Re: Water in our basement


Goodmorning,
Gentle reminder on the below case.
The level of the water is increasing due to the current reconstruction of the Koninginneweg.
More pictures as proof attached.


I expect a prompt feedback and support before further escalation.

Copying my neighbor 5.1,2,e who also experienced cracked and damages in his house.

Regards,
5.1,2,e

5.1.2,e







5.1.2,e

On 14 Nov 2022, at 12:17, 5.1.2,e <5.1.2,e @gmail.com> wrote:

Dear,
Did you hear anything back from the Waternet company? Unfortunately the water in the basement is still there

Thanks
5.1.2,e

On 21 Oct 2022, at 16:47, Project Koninginneweg <5.1.2,i @amsterdam.nl> wrote:

Hi 5.1.2,e

Thank you for emailing this to me. I will send this on to Waternet.

Met vriendelijke groet,

5.1.2,e

5.1.2,e
Ingenieursbureau Gemeente Amsterdam

5.1.2,e
5.1.2,e @amsterdam.nl

Aanwezig:

ma	di	wo	do	vr

Van: 5.1.2,e <5.1.2,e @gmail.com>
Verzonden: maandag 17 oktober 2022 15:58
Aan: Project Koninginneweg <5.1.2,i @amsterdam.nl>
Onderwerp: Water in our basement

Good afternoon,
I'm 5.1.2,e owner of the apartment located in Koninginneweg 5.1.2,e

Unfortunately we have a leakage in our basement due to the current reconstruction in the street.
About 1cm of water at the moment that we don't know how to remove.

I would like to bring to your attention this situation and ask for your support.
Could you plan a visit and support us finding a solution?

Many thanks
5.1.2,e
5.1.2,e
<image001.jpg>

<image002.jpg>

De gemeente Amsterdam streeft naar optimale dienstverlening en zorgvuldige afhandeling van e-mailverkeer. Als deze e-mail niet voor u is bestemd, laat dit dan weten aan de afzender en verwijder de e-mail. Voor meer informatie: www.amsterdam.nl/proclaimer.